Refine Search

Search Results -

Terms	Documents
address$ near7 (transl$ or transform$ Or conver$) and (profil$ or execut$ or monitor$) near9 (result$ or status$ or info$) and (distinc$ or separat$ Or differen$ or isolat$) near9 (translat$ or transform$ or conver$) (distinc$ or separat$ Or differen$ or isolat$) near9 (translat$ or transform$ or conver$) near8 (profil$ or execut$ or monitor$) near9 (result$ or status$ or info$)	0

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L12

Refine Search

Recall Text   Clear   Interrupt

Search History

DATE: Wednesday, March 02, 2005   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
	DB=TDBD; PLUR=YES; OP=ADJ		
L12	address$ near7 (transl$ or transform$ Or conver$) and (profil$ or execut$ or monitor$) near9 (result$ or status$ or info$) and (distinc$ or separat$ Or differen$ or isolat$) near9 (translat$ or transform$ or conver$) (distinc$ or separat$ Or differen$ or isolat$) near9 (translat$ or transform$ or conver$) near8 (profil$ or execut$ or monitor$) near9 (result$ or status$ or info$)	0	L12
	DB=DWPI; PLUR=YES; OP=ADJ		
L11	address$ near7 (transl$ or transform$ Or conver$) and (profil$ or execut$ or monitor$) near9 (result$ or status$ or info$) and (distinc$ or separat$ Or differen$ or isolat$) near9 (translat$ or transform$ or conver$) (distinc$ or separat$ Or differen$ or isolat$) near9 (translat$ or transform$ or conver$) near8 (profil$ or execut$ or monitor$) near9 (result$ or status$ or info$)	0	L11

DB=JPAB; PLUR=YES; OP=ADJ

L10   address$ near7 (transl$ or transform$ Or conver$) and (profil$ or execut$ or monitor$) near9 (result$ or status$ or info$) and (distinc$ or separat$ Or differen$ or isolat$) near9 (translat$ or transform$ or conver$) (distinc$ or separat$ Or differen$ or isolat$) near9 (translat$ or transform$ or conver$) near8 (profil$ or execut$ or monitor$) near9 (result$ or status$ or info$)   0   L10

DB=EPAB; PLUR=YES; OP=ADJ

L9   address$ near7 (transl$ or transform$ Or conver$) and (profil$ or execut$ or monitor$) near9 (result$ or status$ or info$) and (distinc$ or separat$ Or differen$ or isolat$) near9 (translat$ or transform$ or conver$) (distinc$ or separat$ Or differen$ or isolat$) near9 (translat$ or transform$ or conver$) near8 (profil$ or execut$ or monitor$) near9 (result$ or status$ or info$)   0   L9

DB=PGPB; PLUR=YES; OP=ADJ

L8   address$ near7 (transl$ or transform$ Or conver$) and (profil$ or execut$ or monitor$) near9 (result$ or status$ or info$) and (distinc$ or separat$ Or differen$ or isolat$) near9 (translat$ or transform$ or conver$) (distinc$ or separat$ Or differen$ or isolat$) near9 (translat$ or transform$ or conver$) near8 (profil$ or execut$ or monitor$) near9 (result$ or status$ or info$)   0   L8

DB=USPT; PLUR=YES; OP=ADJ

L7   L5 and (distinc$ or separat$ Or differen$ or isolat$) near9 (translat$ or transform$ or conver$) near8 (profil$ or execut$ or monitor$) near9 (result$ or status$ or info$)   28   L7

L6   L5 and (distinc$ or separat$ Or differen$ or isolat$) near9 (translat$ or transform$ or conver$)   3202   L6

L5   address$ near7 (transl$ or transform$ Or conver$) and (profil$ or execut$ or monitor$) near9 (result$ or status$ or info$)   10960   L5

L4   6826748.pn.   1   L4

L3   6763452.pn.   1   L3

L2   6397379.pn.   1   L2

L1   6779107.pn.   1   L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L13 and L7	0

Database:

```
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins
```

Search: L16

[Refine Search]

[Recall Text] [Clear] [Interrupt]

Search History

DATE: Wednesday, March 02, 2005   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
	DB=USPT; PLUR=YES; OP=ADJ		
L16	l13 and l7	0	L16
L15	L14 and l7	1	L15
L14	717/136,137,138,139,140.ccls.	607	L14
L13	717/126,127,128,129,130,131,132.ccls.	846	L13
	DB=TDBD; PLUR=YES; OP=ADJ		
L12	address$ near7 (transl$ or transform$ Or conver$) and (profil$ or execut$ or monitor$) near9 (result$ or status$ or info$) and (distinc$ or separat$ Or differen$ or isolat$) near9 (translat$ or transform$ or conver$) (distinc$ or separat$ Or differen$ or isolat$) near9 (translat$ or transform$ or conver$) near8 (profil$ or execut$ or monitor$) near9 (result$ or status$ or info$)	0	L12
	DB=DWPI; PLUR=YES; OP=ADJ		
L11	address$ near7 (transl$ or transform$ Or conver$) and (profil$ or execut$ or monitor$) near9 (result$ or status$ or info$) and (distinc$ or separat$ Or differen$ or isolat$) near9 (translat$ or transform$ or conver$) (distinc$ or	0	L11

separat$ Or differen$ or isolat$) near9 (translat$ or transform$ or conver$) near8 (profil$ or execut$ or monitor$) near9 (result$ or status$ or info$)

DB=JPAB; PLUR=YES; OP=ADJ

L10   address$ near7 (transl$ or transform$ Or conver$) and (profil$ or execut$ or monitor$) near9 (result$ or status$ or info$) and (distinc$ or separat$ Or differen$ or isolat$) near9 (translat$ or transform$ or conver$) (distinc$ or separat$ Or differen$ or isolat$) near9 (translat$ or transform$ or conver$) near8 (profil$ or execut$ or monitor$) near9 (result$ or status$ or info$)   0   L10

DB=EPAB; PLUR=YES; OP=ADJ

L9   address$ near7 (transl$ or transform$ Or conver$) and (profil$ or execut$ or monitor$) near9 (result$ or status$ or info$) and (distinc$ or separat$ Or differen$ or isolat$) near9 (translat$ or transform$ or conver$) (distinc$ or separat$ Or differen$ or isolat$) near9 (translat$ or transform$ or conver$) near8 (profil$ or execut$ or monitor$) near9 (result$ or status$ or info$)   0   L9

DB=PGPB; PLUR=YES; OP=ADJ

L8   address$ near7 (transl$ or transform$ Or conver$) and (profil$ or execut$ or monitor$) near9 (result$ or status$ or info$) and (distinc$ or separat$ Or differen$ or isolat$) near9 (translat$ or transform$ or conver$) (distinc$ or separat$ Or differen$ or isolat$) near9 (translat$ or transform$ or conver$) near8 (profil$ or execut$ or monitor$) near9 (result$ or status$ or info$)   0   L8

DB=USPT; PLUR=YES; OP=ADJ

L7   L5 and (distinc$ or separat$ Or differen$ or isolat$) near9 (translat$ or transform$ or conver$) near8 (profil$ or execut$ or monitor$) near9 (result$ or status$ or info$)   28   L7

L6   L5 and (distinc$ or separat$ Or differen$ or isolat$) near9 (translat$ or transform$ or conver$)   3202   L6

L5   address$ near7 (transl$ or transform$ Or conver$) and (profil$ or execut$ or monitor$) near9 (result$ or status$ or info$)   10960   L5

L4   6826748.pn.   1   L4

L3   6763452.pn.   1   L3

L2   6397379.pn.   1   L2

L1   6779107.pn.   1   L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
324308	1

Database:

```
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins
```

Search:

```
L33
```

[Refine Search]

[Recall Text] [Clear] [Interrupt]

Search History

DATE: **Wednesday, March 02, 2005**   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=EPAB; PLUR=YES; OP=ADJ			
L33	324308	1	L33
L32	0324308	0	L32
L31	00324308	0	L31
L30	9908188	0	L30
L29	9903037	1	L29
L28	9859292	1	L28
L27	9838575	1	L27
L26	9828689	1	L26
L25	9813740	1	L25
L24	1997/50031	0	L24
L23	199750031	0	L23
L22	97/50031	0	L22
L21	9750031	0	L21

L20	2004101856	1	L20
L19	L18	877	L19
L18	Larsen	877	L18
L17	0324308	0	L17

DB=USPT; PLUR=YES; OP=ADJ

L16	L15 and (address$) near5 (translat$ or conve$ Or transform) and (profil$ or execution$ or monitor$) near8 info$	0	L16
L15	6721941.pn.	1	L15
L14	L13 and (address$) near5 (translat$ or conve$ Or transform) and (profil$ or execution$ or monitor$) near8 info$	0	L14
L13	6708173.pn.	1	L13
L12	L11 and (address$) near5 (translat$ or conve$ Or transform) and (profil$ or execution$ or monitor$) near8 info$	1	L12
L11	6535903.pn.	1	L11
L10	L9 and (address$) near5 (translat$ or conve$ Or transform) and (profil$ or execution$ or monitor$) near8 info$	0	L10
L9	6351646.pn.	1	L9
L8	L7 and (address$) near5 (translat$ or conve$ Or transform) and (profil$ or execution$ or monitor$) near8 info$	0	L8
L7	6276775.pn.	1	L7
L6	L4 and (address$) near5 (translat$ or conve$ Or transform) near9 226	0	L6
L5	L4 and (address$) near5 (translat$ or conve$ Or transform) and (profil$ or execution$ or monitor$) near8 info$	1	L5
L4	6157993.pn.	1	L4
L3	L1 and (address$) near5 (translat$ or conve$ Or transform) and (profil$ or execution$ or monitor$) near8 info$	1	L3
L2	L1 and (address$) near5 (translat$ or conve$ Or transform) and (profil$ or execution$ or monitor$)	1	L2
L1	5729728.pn.	1	L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
(711/202).ccls.	956

Database:

```
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins
```

Search:

Refine Search

Recall Text   Clear   Interrupt

Search History

DATE: Wednesday, March 02, 2005   Printable Copy   Create Case

Set Name	Query	Hit Count	Set Name
side by side			result set
	DB=USPT; PLUR=YES; OP=ADJ		
L4	711/202.ccls.	956	L4
L3	711/206,213,207.ccls.	1410	L3
L2	712/207,227,205,209,217.ccls.	1528	L2
L1	717/141.ccls.	176	L1

END OF SEARCH HISTORY

⊚ P⊘RTAL

US Patent & Trademark Office

Search: ⊙ The ACM Digital Library   ○ The Guide

profile and address and translation and distinct and execution   **SEARCH**

❢ Feedback Report a problem Satisfaction survey

Terms used
profile and **address** and **translation** and **distinct** and **execution** and **information**

Found **77,610** of **151,219**

Sort results by [relevance ▽]

Display results [expanded form ▽]

◆ Save results to a Binder
[?] Search Tips
☐ Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 1 - 20 of 200   Result page: **1** 2 3 4 5 6 7 8 9 10   next
Best 200 shown   Relevance scale ☐ ▭ ▬ ▮ ■

1 Fast detection of communication patterns in distributed executions   ■
Thomas Kunz, Michiel F. H. Seuren
November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**
Full text available: 🄯 pdf(4.21 MB)   Additional Information: full citation, abstract, references, index terms

> Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

2 Binary translation and architecture convergence issues for IBM system/390   ■
Michael Gschwind, Kemal Ebcioğlu, Erik Altman, Sumedh Sathaye
May 2000 **Proceedings of the 14th international conference on Supercomputing**
Full text available: 🄯 pdf(1.44 MB)   Additional Information: full citation, abstract, references, index terms

> We describe the design issues in an implementation of the ESA/390 architecture based on binary translation to a very long instruction word (VLIW) processor. During binary translation, complex ESA/390 instructions are decomposed into instruction "primitives" which are then scheduled onto a wide-issue machine. The aim is to achieve high instruction level parallelism due to the increased scheduling and optimization opportunities which can be exploited by binary translation software ...

3 Continuous program optimization: A case study   ■
Thomas Kistler, Michael Franz
July 2003 **ACM Transactions on Programming Languages and Systems (TOPLAS)**, Volume 25 Issue 4
Full text available: 🄯 pdf(877.67 KB)   Additional Information: full citation, abstract, references, index terms, review

> Much of the software in everyday operation is not making optimal use of the hardware on which it actually runs. Among the reasons for this discrepancy are hardware/software mismatches, modularization overheads introduced by software engineering considerations, and the inability of systems to adapt to users' behaviors. A solution to these problems is to delay code generation until load time. This is the earliest point at which a piece of software can be fine-tuned to the actual capabilities of the ...

◈IEEE

Membership   Publications/Services   Standards   Conferences   Careers/Jobs

IEEE *Xplore*®
RELEASE 1.8

Welcome
United States Patent and Trademark Office

Help   FAQ   Terms   IEEE Peer Review | **Quick Links** |

» Se.

Welcome to IEEE *Xplore*®

- ○ **Home**
- ○ **What Can I Access?**
- ○ **Log-out**

Tables of Contents

- ○ **Journals & Magazines**
- ○ **Conference Proceedings**
- ○ **Standards**

Search

- ○ **By Author**
- ○ **Basic**
- ○ **Advanced**
- ○ **CrossRef**

Member Services

- ○ **Join IEEE**
- ○ **Establish IEEE Web Account**
- ○ **Access the IEEE Member Digital Library**

IEEE Enterprise

- ○ **Access the IEEE Enterprise File Cabinet**

Your search matched **0** of **1131693** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:
You may refine your search by editing the current search expression or enterii new one in the text box.

| profile and record and address and translation and c | **Search**

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine   **CNF** = Conference   **STD** = Standard

Results:
No documents matched your query.

🖳 Print Format

◆IEEE

Membership   Publications/Services   Standards   Conferences   Careers/Jobs

IEEE *Xplore* ®
RELEASE 1.8

Welcome
United States Patent and Trademark Office

» Se.

Help   FAQ   Terms   IEEE Peer Review

Quick Links

Welcome to IEEE *Xplore*

○ Home
○ What Can
    I Access?
○ Log-out

Tables of Contents

○ Journals
    & Magazines
○ Conference
    Proceedings
○ Standards

Search

○ By Author
○ Basic
○ Advanced
○ CrossRef

Member Services

○ Join IEEE
○ Establish IEEE
    Web Account
○ Access the
    IEEE Member
    Digital Library

IEEE Enterprise

○ Access the
    IEEE Enterprise
    File Cabinet

Your search matched **1** of **1131693** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:
You may refine your search by editing the current search expression or enteri
new one in the text box.

profile and record and address and translation   **Search**

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine   **CNF** = Conference   **STD** = Standard

──

1 **Three-dimensional verification for dynamic multileaf collimated IMR**
Agazaryan, N.; Solberg, T.D.; Arellano, A.R.; Paul, T.J.;
Engineering in Medicine and Biology Society, 2000. Proceedings of the 22nd A
International Conference of the IEEE , Volume: 1 , 23-28 July 2000
Pages:177 - 180 vol.1

[Abstract]   [PDF Full-Text (312 KB)]   **IEEE CNF**

──

🖨 **Print Format**

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help | FAQ| Terms | Back to Top